



# THE ECLIPSE

## • PREMIUM GRADE/RESIDENTIAL



The Eclipse model is our most popular unit, offering maximum value for your investment. This awning can be mounted just about anywhere, including a specially designed roof mount. With the Eclipse, you're just a touch of a button away from everything you need (manual crank operation is available). The Eclipse features smooth clean lines in the powder coated aluminum frame, stainless steel hardware and over 900 lbs. of spring tension in the lateral arms. This ensures a great looking high performance awning.

- ▼ Awning Widths up to 40' (Ships up to 26' in one piece)
- ▼ Motorized push operation by **somfy.**
- ▼ Awning Projections up to 11'6"
- ▼ Features Advanced Belt Technology® (ABT)
- ▼ Optional Semi Cassette option up to 22' wide x 11'6" projection
- ▼ Platinum Protection extended warranty coverage available
- ▼ Blocks up to 98% of harmful UV rays
- ▼ Frame available in white, camel, and spartan bronze
- ▼ Choose from more than 150 long lasting, fade resistant solution dyed acrylic **sunbrella** fabrics to best match your unique décor and style

## PRODUCT DETAILS AND TECHNICAL SPECS

## WARRANTY INFORMATION

Frame: 10 Years\*

Fabric: 10 Years\*

Motor/Electronics: 5 Years\*

\*To the original purchaser

AVAILABLE:



AVAILABLE:




Includes lifetime on fabric & motor\*

## HARDWARE COLOR OPTIONS



WHITE  
RAL 9016



CAMEL  
RAL 1019



SPARTAN BRONZE  
Eclipse Unique Color

## MINIMUM WIDTHS

Open Roller or Standard Hood		
Projection	Minimum Widths	
	Cross Arm	Standard
5'0"	4'0"	6'7"
7'4"	5'6"	9'1"
9'0"	6'6"	10'8"
10'6"	7'6"	12'4"
11'6"	8'0"	13'2"

MINIMUM WIDTHS (Semi Cassette ONLY)	
Projection	Minimum Width
6'7"	8'9"
8'2"	10'5"
10'6"	12'10"
11'6"	13'8"

## MINIMUM PITCH REQUIREMENTS

### 5-0 Projection

0'11" Drop  
4'10" Coverage



### 10-6 Projection

2'0" Drop  
10'2" Coverage



### 7-4 Projection

1'5" Drop  
7'1" Coverage



### 11-6 Projection

2'3" Drop  
11'2" Coverage



### 9-0 Projection

1'9" Drop  
8'9" Coverage




### Semi Cassette Notes:

- ▶ Not available in manual operation or with standard 4 wire motors
- ▶ Up to 22' width x 11'6" projection


# UNIT PROFILE VIEWS

## THE ECLIPSE


**ECLIPSE**  
Wall Mount (No Hood)




**ECLIPSE**  
Wall Mount (With Hood)




**ECLIPSE**  
Soffit Mount (no hood option available)




**ECLIPSE - Cross Arm**  
Wall Mounted (no hood)




**ECLIPSE - Cross Arm**  
Wall Mounted (with hood)



**ECLIPSE - Cross Arm**  
Roof Mount (with 12" roof brackets & hood)




**ECLIPSE - Roof Mount**  
(with 9" roof brackets & hood)




## SEMI CASSETTE

**ECLIPSE SC - Wall Mounted**



**ECLIPSE SC - Soffit Mounted**




## BRACKETING & ARM COUNT DETAILS


### 40 x 40mm WALL MOUNT BRACKET

- All Sizes
- All Formats
- All Options

#### Wall Bracket - Front View




#### Wall Bracket - Side View




### 40 x 40mm CAST SOFFIT MOUNT BRACKET

- UP TO 10'6" PROJECTION
- All Formats
- WITHOUT Drop Shade

#### Soffit Bracket - Top View



#### Wall Bracket - Side View



\*For all units up to 11'6" projections or with drop shade, please refer to the Bracket Details in the Eclipse Premier Technical Specs Guide.

#### Standard Unit - Arms by Projection

Projection	Unit Width	# of Arms
5'0"	up to 20'0"	2
5'0"	20'0 1/8" to 40'0"	4
7'4"	up to 20'0"	2
7'4"	20'0 1/8" to 40'0"	4
9'0"	up to 20'0"	2
9'0"	20'0 1/8" to 23'0"	3
9'0"	23'0 1/8" to 40'0"	4
10'6"	up to 20'0"	2
10'6"	20'0 1/8" to 26'0"	3
10'6"	26'0 1/8" to 40'0"	4
11'6"	up to 19'0"	2
11'6"	19'0 1/8" to 30'0"	3
11'6"	30'0 1/8" to 40'0"	4

#### Semi Cassette - Arms by Projection

Projection	Unit Width	# of Arms
5'0"	up to 20'1"	2
5'0"	20'0 1/8" to 22'0"	4
7'4"	up to 20'0"	2
7'4"	20'0 1/8" to 22'0"	4
9'0"	up to 20'0"	2
9'0"	20'0 1/8" to 22'0"	3
10'6"	up to 20'0"	2
10'6"	20'0 1/8" to 22'0"	3
11'6"	up to 19'0"	2
11'6"	19'0 1/8" to 22'0"	3

### Standard Unit - Installation Bracket Assignment

Bracket Count	Projection			
	5'0" and 7'4"	9'0"	10'6"	11'6"
3	up to 12'11 7/8"	up to 12'11 7/8"	up to 12'11 7/8"	up to 10'11 7/8"
4	13' to 16' 11 7/8"	13' to 16' 11 7/8"	13' to 16' 11 7/8"	11' to 16' 11 7/8"
5	17' to 20'	17' to 20'	17' to 20'	17' to 19' 11 7/8"
6	N/A	N/A	20'1/8" to 22'11 7/8"	20'1/8" to 22'11 7/8"
7	N/A	N/A	23' to 30'11 7/8"	23' to 30'11 7/8"
8	20'1/8" to 34'11 7/8"	20'1/8" to 34'11 7/8"	27' to 34'11 7/8"	27' to 34'11 7/8"
9	35' to 36'11 7/8"	35' to 36'11 7/8"	35' to 36'11 7/8"	35' to 36'11 7/8"
10	37' to 40'	37' to 40'	37' to 40'	37' to 40'

### Semi Cassette - Installation Bracket Assignment

Bracket Count	Projection			
	5'0" and 7'4"	9'0"	10'6"	11'6"
3	up to 12'11 7/8"	up to 12'11 7/8"	up to 12'11 7/8"	up to 10'11 7/8"
4	13' to 16' 11 7/8"	13' to 16' 11 7/8"	13' to 16' 11 7/8"	11' to 16' 11 7/8"
5	17' to 20'	17' to 20'	13' to 16' 11 7/8"	17' to 19' 11 7/8"
6	N/A	N/A	20'1/8" to 22'0"	20'1/8" to 22'11 7/8"
7	N/A	N/A	N/A	N/A
8	20'1/8" to 22'0"	20'1/8" to 22'0"	N/A	N/A