



# E-ZIP SCREEN

• RESIDENTIAL/COMMERCIAL GRADE



The Eclipse E-Zip will extend your living space, offer protection from sun glare and heat, and keep insects out! Available in a variety of colors and fabrics, these screens add practical, protective beauty to any home or business while still allowing you to appreciate your view.

The E-Zip is designed to be mounted on the exterior of your commercial or residential property and will provide you with a cool, insect-free environment. The Eclipse E-Zip solar shade and insect screen provides UV protection for you and your outdoor furnishings while allowing everyone to enjoy the beauty of the outdoors in privacy and security.

- Unit widths up to 26 feet wide\*
  - Offered with drops up to 20 feet\*
  - 10 year framework warranty
  - Can be surface or recessed mounted
  - Motorized, with a full line of electronic enhancements by **somfy**.
  - Open weave, solid acrylics, and insect screens are available
  - Designed for worry-free operation and to maximize outdoor living
  - Framework available in white, camel, spartan bronze, and granular black
- Fabrics warrantied up to 10 years depending on selection \*Model & fabric limitations apply

## PRODUCT DETAILS AND TECHNICAL SPECS

# WARRANTY INFORMATION

Frame: 10 Years\*

Fabric: 10 Years\*\*

Motor/Electronics: 5 Years\*

\*\*Most fabrics. Optional clear windows not included.

\*To the original purchaser

AVAILABLE:



AVAILABLE:



Includes lifetime on fabric & motor\*

# HARDWARE COLOR OPTIONS



WHITE  
RAL 9016



CAMEL  
RAL 1019



SPARTAN BRONZE  
Eclipse Unique Color






GRANULAR  
BLACK  
RAL 9005


# UNIT PROFILE VIEWS

## 4" AND 5" E-ZIP

- Class 6 wind resistance tested to 80 mph
- Available in widths up to 288" (24'), measured from outside edge to outside edge of the cassette box
- Available in drops up to 240" (20'), measured from the top of the cassette box to the bottom of the hem/weight bar. Max drops not available in all fabrics
- Unit can be surface or recessed mounted
- Motorized unit with Somfy Maestria RTS motor, full electronics are available
- Heavy duty 70mm, 78mm or 85mm roller tube, depending on unit width
- 5" x 5" or 4" x 4" aluminum cassette box with aluminum cast end caps
- Can select from several solar shading fabrics
- Hem/weight bar includes a 1/2" deep nylon brush to seal to floor surface. Other depths available
- Stationary aluminum side track to provide smoother installations and long-term operations
- Standard seam placement will be as high as possible or specific seam placement is available; seam placement is measured from the bottom of the hem/weight bar




# UNIT PROFILE VIEWS









## ▶ 5" SUPER DUTY (SD)

- Available in the 5" cassette box ONLY, up to 24' wide (fabric dependent)
- See available drops based on fabric
- This upgrade changes all the components of the tracks and hem bar to the 7" Super Duty (SD) versions
- The Super Duty tracks are wider - see notes below
- Units installed as "Inside Mount" must also be ordered with the SD "L" Angle
- Aluminum Side track with Stainless steel springs every 12" to 16" to provide smoother fabric appearance and long-term operation
- SD Hem Bar has an internal "U" channel insert to increase rigidity
- Hem Bar includes dual 3/8" deep nylon brush to seal to floor, other depths available



## ▶ ECLIPSE 7" E-ZIP

- Available in widths up to 312" (26'), measured from outside edge to outside edge of the cassette box (depending on fabric and unit drop)
- Available in drops up to 240" (20'), measured from the top of the cassette box to the bottom of the hem/weight bar (depending on fabric and unit width)
- Unit can be surface, inside, or recessed mounted
- Heavy duty 140mm aluminum roller tube
- 7 1/4" deep x 7 7/8" tall aluminum cassette box with aluminum cast end caps
- Cassette box MUST BE mounted; due to design and overall weight, the tracks are not designed to carry the unit weight
- Unit weight is an average of 15 pounds per foot of width
- Hem Bar includes a dual 3/8" deep nylon brush to seal to floor surface, other depths available
- Aluminum side track with stainless steel springs every 12" to 16" to provide smoother fabric appearance and long-term operations



INSTALLATION RESOURCES

